

GARDASIL VERSUS CERVARIX

<http://www.thisislondon.co.uk/standard/article-23922988-doctors-call-for-teenage-girls-to-be-given-std-vaccine.do>

Doctors call for teenage girls to be given STD vaccine
Kiran Randhawa, Health and Social Affairs Correspondent
14 Feb 2011

Doctors today called on the Government to introduce a vaccine for girls on the NHS against genital warts, after infection rates soared.

New figures show cases of the human papillomavirus, which can also lead to cervical cancer, have risen by a third in a decade to 91,000 - with 14,000 in London, the worst-hit area.

It is the **second most common sexually transmitted disease** after chlamydia and the NHS spends at least £46million a year treating the infection, plus a further £4million on other conditions it causes.

The current HPV vaccine, Cervarix, introduced for all girls aged 13 to 18 in 2008, prevents against the strains that cause cervical cancer, but leaves young women at risk of developing genital warts.

Now 500 doctors and other sexual health workers are backing a campaign by the British Association for Sexual Health and HIV to get the jab replaced with Gardasil, which protects against both conditions.

Please note the above coloured words are incorrect – **HPV is not a sexually transmitted disease but is a virus which can leave the body of its own accord** without causing any harm. Pap screening has saved more lives from Cervical Cancer. There is no evidence as yet that either Gardasil or Cervarix will do the same and it is recommended that this screening process has to continue even although the subjects have been vaccinated.

The Facts:

Information received from Dr Diane Harper, Principal Researcher with Merck on Gardasil on 18th February 2011. We asked the question about the length of protection that Gardasil would provide for genital warts. This is her answer:

“Yes, the data for Gardasil protecting against genital warts in BOYS only goes out to 29 months (2+ years). They did not study whether the efficacy lasts any longer than the 29 months.”

This will apply also to girls otherwise Dr Harper would have made reference to any studies which had been specifically carried out on females.

Duration of Protection for Gardasil: At this moment in time 5 years. Therefore, those who were vaccinated early in the programme in 2006, their protection period will soon be running out.

All of these facts can be quite easily checked out and the question is “Is this really what we want to provide for our girls in the UK?”

[Memorial Document - Gardasil](#)

Please see the photographs and stories of girls who have died following vaccination with Gardasil. This is the common link to all of them and also to the complete list of girls who died following vaccination. The disturbing point is that in many cases after post-mortem no known cause of death was identified. When the medical histories of the girls are examined it is apparent to the families that something is seriously wrong as their daughters were very healthy, in a lot of cases very athletic and for whatever reason their lives were cut short not long after they received this HPV vaccine.

Girls who have died following Gardasil come from many States in America, from Canada, from India and from New Zealand. The reports in VAERS only represent between 1% and 10% of those which have been reported therefore there is a huge discrepancy and the undernoted figures could be enormous.

These figures represent the most up to date information from VAERS Reporting System and cover the deaths and injuries for the HPV vaccines

Updated VAERS Reports - HPV Vaccines				
Description	Total	Female	Male	Unknown
Reports	21,292	20,377	309	447
Deaths	93	73	2	14
Abnormal Pap Smear	372	372	N/A	N/A
Life Threatening	402	393	6	3
Emergency Room Visit	8,617	8,455	84	78
Hospitalized	2,092	2,057	23	12
Did Not Recover	4,346	4,273	36	37
Disabled	689	682	3	4

As you will probably know young boys and men are now being vaccinated with Gardasil and the same would probably apply here in the UK if this was to be allowed. The programme was approved by the FDA for use in boys in October 2009, but not "recommended" by the CDC for inclusion in the vaccination schedule until September 2010. Since that date there have been two deaths and 309 reports of various serious side effects.

The MHRA or the independent Commission on Human Medicines (CHM) have not made any comments relating to the deaths and side effects which have been experienced worldwide since Gardasil came on to the market in 2006. I would have considered it their responsibility to investigate this other HPV vaccine when so much controversy surrounds it. It is their job to protect the citizens of the UK and not to simply stand back and ignore the red flags which keep popping up with the Gardasil vaccine.

Going back to the reason why 500 doctors wish the UK to change from Cervarix to Gardasil and their reference to protecting girls from genital warts, then I end by repeating the fact that the experiments carried out so far on boys and this condition only **provides protection for just over two years. It is such a pity that the medical profession appears not to be aware of this.**

There are still serious issues with Cervarix, health problems which go on since date of vaccination and yet are constantly ignored by our politicians, medical groups and of course

the pharmaceuticals. However, in the MHRA October 2010 update on Cervarix the undernoted comment is made on Arthralgia.

Page 16 of the MHRA report refers:

Musculoskeletal and connective tissue disorders

There were 140 case reports of musculoskeletal and connective tissue disorders, which included reports of pain in extremity (29); arthralgia (24); back pain (16); muscular weakness (14); myalgia (10) and musculoskeletal stiffness (8). Cases of arthralgia **are already a recognised side effect but were included in this analysis due to the severity or persistence of symptoms being greater than would be expected of a vaccine-associated effect.** As such, the cases may represent a more severe form of the recognised Cervarix side effect of arthralgia/myalgia or be associated with other reported conditions such as chronic fatigue-like illness.

The question to be asked is “Has the MHRA carried out an extensive investigation into why these subjects have experienced these more severe side effects or are they basically just going to assume and lay the blame at the door of ‘Chronic Fatigue Syndrome’?” See the two links to research carried out by a UK scientist, Dr C Exley, Keele University. This gentleman can be contacted for his views.

Research data on Vaccine-related Chronic Fatigue Syndrome

[Research by Dr C Exley, Keele University on aluminium overload](#)

<http://www.theoneclickgroup.co.uk/documents/vaccines/Vaccine%20Aluminium%20In%20CFS.pdf>

A role for the body burden of aluminium in vaccine-associated macrophagic myofasciitis and chronic fatigue syndrome

The reason for adding this information to the point “**Gardasil versus Cervarix**” is to show that there are serious problems with the present programme of HPV vaccination in the UK without adding to these problems by introducing a vaccine which has a history of deaths and thousands of serious adverse reactions arising wherever this vaccine is administered. We cannot just blindly accept the word of doctors without checking out the facts for ourselves. What cannot be denied, even although the authorities would wish you to believe it is all one big coincidence, is that young healthy girls have died without cause of death being identified and the common link to all these deaths is Gardasil.

Definition of the word Coincidence: A remarkable occurrence of similar events at the same time **by chance**

When young lives are involved then no stone should be left unturned to try and find out cause of death. If no medications had been taken, or any vaccines given then there would be reason to state that this was a **terrible coincidence BUT WHEN THERE IS A COMMON ELEMENT, COMMON MEDICATION, COMMON VACCINE THEN THE WORD “COINCIDENCE” CANNOT ENTER INTO THE DISCUSSION UNTIL A THOROUGH INVESTIGATION HAS TAKEN PLACE INTO WHY ALL THESE DEATHS HAVE THE ONE COMMON LINK AND THAT IS THE VACCINE GARDASIL.**

Until that is done then more and more young boys and girls will die.

I am bringing this to your attention for any future discussions which may take place on this subject.

Freda Birrell
20th February 2011
www.sanevax.org